

## Plastic Tube Container TwistPack

**Round telescopic protective packaging tubes with twist lock mechanism and roll-away protection**

### Material

→ Polypropylene (PP)

### Product Range

→ PP transparent

→ outer parts and inner parts are packed separately

### Production environment

→ various sizes available in cleanroom production

### Product features

#### TwistPack

→ twist lock mechanism holds contents securely in place

→ infinitely variable telescopic length adjustment

→ hexagon tube bottom prevents rolling

→ security and protection for your product

→ speedy efficient packaging

→ speedy handling

→ safe transportation



→ durable and reusable





























→ can be used as primary or secondary packaging






































The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.

## Product Range: TwistPack





Production Environment

 Cleanroom production  Industrial standard / Cleanroom production upon request

Article	Inner diam.	Usable length adjustable	Packaging Unit	Production Environment
DP 10 050	10mm	50 - 70mm	2100	
DP 10 080	10mm	80 - 120mm	2000	
DP 10 080	10mm	80 - 120mm	1500	
DP 10 120	10mm	120 - 200mm	2100	
DP 13 050	13mm	50 - 70mm	2200	
DP 13 050	13mm	50 - 70mm	1500	
DP 13 080	13mm	80 - 120mm	1300	
DP 13 080	13mm	80 - 120mm	800	
DP 13 120	13mm	120 - 200mm	1600	
DP 13 120	13mm	120 - 200mm	1200	
DP 13 200	13mm	200 - 350mm	1500	
DP 16 050	16mm	50 - 70mm	1700	
DP 16 080	16mm	80 - 120mm	1000	
DP 16 120	16mm	120 - 200mm	1200	
DP 16 200	16mm	200 - 350mm	1000	
DP 16 200	16mm	200 - 350mm	3000	
DP 16 350	16mm	350 - 620mm	600	
DP 16 350	16mm	350 - 620mm	500	
DP 16 410	16mm	410 - 770mm	500	
DP 20 050	20mm	50 - 70mm	1500	
DP 20 080	20mm	80 - 120mm	1700	
DP 20 120	20mm	120 - 200mm	1000	
DP 20 200	20mm	200 - 350mm	900	
DP 22 050	22mm	50 - 60mm	1100	
DP 22 080	22mm	80 - 120mm	1400	
DP 22 080	22mm	80 - 120mm	1000	
DP 22 120	22mm	120 - 200mm	850	
DP 22 200	22mm	200 - 350mm	700	
DP 22 350	22mm	350 - 620mm	390	
DP 22 410	22mm	410 - 770mm	300	
DP 24 050	24mm	50 - 60mm	900	
DP 24 080	24mm	80 - 120mm	1100	
DP 24 120	24mm	120 - 200mm	750	
DP 24 200	24mm	200 - 350mm	600	
DP 26 050	26mm	50 - 60mm	800	
DP 26 080	26mm	80 - 120mm	1000	
DP 26 120	26mm	120 - 200mm	600	

Article	Inner diam.	Usable length adjustable	Packaging Unit	Production Environment
DP 26 200	26mm	200 - 350mm	450	
DP 26 250	26mm	250 - 400mm	420	
DP 26 350	26mm	350 - 620mm	280	
DP 26 410	26mm	410 - 770mm	240	
DP 28 050	28mm	50 - 60mm	800	
DP 28 080	28mm	80 - 120mm	950	
DP 28 120	28mm	120 - 200mm	600	
DP 28 200	28mm	200 - 350mm	450	
DP 30 050	30mm	50 - 60mm	700	
DP 30 080	30mm	80 - 120mm	800	
DP 30 120	30mm	120 - 200mm	500	
DP 30 200	30mm	200 - 350mm	400	
DP 30 350	30mm	350 - 620mm	230	
DP 30 410	30mm	410 - 770mm	200	
DP 35 050	35mm	50 - 60mm	500	
DP 35 060	35mm	60 - 80mm	900	
DP 35 080	35mm	80 - 120mm	600	
DP 35 080	35mm	80 - 120mm	500	
DP 35 120	35mm	120 - 200mm	400	
DP 35 200	35mm	200 - 350mm	310	
DP 35 350	35mm	350 - 620mm	180	
DP 40 050	40mm	50 - 60mm	350	
DP 40 060	40mm	60 - 80mm	350	
DP 40 080	40mm	80 - 120mm	500	
DP 40 120	40mm	120 - 200mm	300	
DP 40 200	40mm	200 - 350mm	250	
DP 40 250	40mm	250 - 400mm	210	
DP 40 350	40mm	350 - 620mm	150	
DP 45 050	45mm	50 - 60mm	350	
DP 45 060	45mm	60 - 80mm	600	
DP 45 080	45mm	80 - 120mm	400	
DP 45 120	45mm	120 - 200mm	250	
DP 45 200	45mm	200 - 350mm	200	
DP 45 350	45mm	350 - 620mm	115	
DP 50 050	50mm	50 - 60mm	600	
DP 50 060	50mm	60 - 80mm	500	
DP 50 080	50mm	80 - 120mm	330	

Article	Inner diam.	Usable length adjustable	Packaging Unit	Production Environment
DP 50 120	50mm	120 - 200mm	220	
DP 50 200	50mm	200 - 350mm	150	
DP 50 350	50mm	350 - 620mm	95	
DP 55 050	55mm	50 - 60mm	500	
DP 55 060	55mm	60 - 80mm	400	
DP 55 080	55mm	80 - 120mm	300	
DP 55 120	55mm	120 - 200mm	190	
DP 55 200	55mm	200 - 350mm	135	
DP 55 350	55mm	350 - 620mm	70	
DP 65 050	65mm	50 - 60mm	350	
DP 65 060	65mm	60 - 80mm	300	
DP 65 080	65mm	80 - 120mm	220	

Article	Inner diam.	Usable length adjustable	Packaging Unit	Production Environment
DP 65 120	65mm	120 - 200mm	150	
DP 65 200	65mm	200 - 350mm	96	
DP 65 350	65mm	350 - 620mm	46	
DP 80 060	85mm	60 - 80mm	100	
DP 80 080	85mm	80 - 100mm	108	
DP 80 120	85mm	120 - 180mm	72	
DP 80 200	85mm	200 - 350mm	50	
DP 80 350	85mm	350 - 550mm	18	
DP 80 550	85mm	550 - 1000mm	18	
DP 105 080	105mm	80 - 100mm	72	
DP 105 120	105mm	120 - 180mm	52	
DP 105 200	105mm	200 - 350mm	30	